



SELF-PRIMING PUMPS



K ELITE S



LW-K 250

Comet self-priming pumps with three solid ceramic plungers. Oil level indicator. Brass heads. Built-in regulation valve



ZW-K



FW2

Comet pump with three integral ceramic pistons and brass pump head. Banjo regulation valve



Hose reel mounted on the transport handle (optional)



BOX DIMENSION (cm)	80 x 60 x 65
QUANTITY FOR PALLET	6
PALLET DIMENSION (cm)	120 x 80 x 210
N. MACHINES CONTANER 20'	66
N. MACHINES CONTANER 40' (40' HQ)	138




Easy movement thanks to the 2 front large pneumatic wheel (Ø 318 mm) and the 2 rear jockey wheels

Standard thermostatic valve



Practical retractable handles for helping to lift the machine



GENERAL FEATURES

- Extra heavy duty structure with stainless steel cover
- Easy maintenance of motorpump and electronic panel by simply removing of the cover
- 4-wheel chassis (2 large wheels + 2 jockey wheels with brake)
- Readily serviceable suction filter
- Pump with two oil sight glasses, with level visible from the outside and brass pump head
- 4-pole motor (1400 rpm), well oversized and protected with paint
- Practical retractable handles for helping to lift the machine
- On/off rotary switch
- Overheating thermostatic valve
- Intensive professional use

TECHNICAL FEATURES

CODE	MODELS	PUMP	Ph V Hz			MAX bar MPa		WORK bar MPa		WORK l/h		HP kW		Lightning Bolt	Weight	Dimensions
			Ph	V	Hz	bar	MPa	bar	MPa	l/h	HP	kW	kW	kg	(L x W x H) cm	
36156-00005	K ELITE S 6.15 15/170 T	LW-K 250	3	400	50	170	17	30÷160	3÷16	390 ÷ 900	5,5	4,0	4,8	63	90 x 62 x 84	
36156-00003	K ELITE S 7.15 15/210 T	ZW-K	3	400	50	210	21	30÷200	3÷20	360 ÷ 900	7,5	5,5	6,7	65	90 x 62 x 84	
36156-00004	K ELITE S 8.21 21/160 T	FW2	3	400	50	160	16	30÷150	3÷15	560 ÷ 1260	7,5	5,5	6,9	65	90 x 62 x 84	

STANDARD EQUIPMENT



GH 275 spraying gun with extension + Swivel

TECHNICAL FEATURES					COMPATIBLE MODELS		
l/min	IN	OUT	bar	CODE	36156-00005	36156-00003	36156-00004
30	G 3/8" M	M22x1,5 F	310	00080-05278			



GH 301 gun with swivel

TECHNICAL FEATURES					COMPATIBLE MODELS		
l/min	IN	OUT	bar	CODE	36156-00005	36156-00003	36156-00004
45	G 3/8" M	M22x1,5 F	310	00080-01044			



Stainless steel bent lance, with nozzle holder

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	OUT	mm	CODE	36156-00005	36156-00003	36156-00004
M22x1,5 M	1/4" NPT F	500	00080-05315			



Fan shape nozzle

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	Ø	Angle	CODE	36156-00005	36156-00003	36156-00004
1/4" NPT M	045	25	00080-01374			
1/4" NPT M	050	25	00080-01376			
1/4" NPT M	070	25	00080-01382			



Rubber delivery hose kit

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	OUT	m	CODE	36156-00005	36156-00003	36156-00004
M22x1,5 F - Ø14	G 3/8" F	10 - R1 1/4"	00014-00276			
M22x1,5 F - Ø14	G 3/8" F	10 - R1 5/16"	10002-03598			
M22x1,5 F - Ø14	G 3/8" F	10 - R2 3/8"	10002-03562			



Thermostatic valve

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	°C	Ø	CODE	36156-00005	36156-00003	36156-00004
G 1/2" M	56	7 mm	10002-01156			

ACCESSORIES



3/4 garden hose quick couplers

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	OUT	bar	CODE	36156-00005	36156-00003	36156-00004
G 3/4" F	G 3/4" F	10	10001-04572			



Ejector kit

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	OUT	Ø	CODE	36156-00005	36156-00003	36156-00004
M22x1,5 F - Ø14	M22x1,5 M - Ø14	2,1	10002-04480			
M22x1,5 F - Ø14	M22x1,5 M - Ø14	2,3	10002-04494			



Lance with rotating nozzle

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	mm	Ø	CODE	36156-00005	36156-00003	36156-00004
M22x1,5 M	560	045	10002-03409			
M22x1,5 M	560	050	10002-03512			
M22x1,5 M	560	070	10002-03518			



Drain nozzle

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	m	l/min	CODE	36156-00005	36156-00003	36156-00004
M22x1,5 M	25	10 ÷ 15	00058-00632			
M22x1,5 M	25	16 ÷ 29	00058-00630			



Sand/Soda blasting lance kit

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	mm	Ø	CODE	36156-00005	36156-00003	36156-00004
M22x1,5 M	500	040	10002-03401			
M22x1,5 M	500	080	10002-03588			



Foam lance, with regulator

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	l/min	lt	CODE	36156-00005	36156-00003	36156-00004
M22x1,5 M	20	1	10002-03395			



Professional Sand/Soda blasting lance kit

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	mm	Ø	CODE	36156-00005	36156-00003	36156-00004
M22x1,5 M	700	040	10002-03781			
M22x1,5 M	700	055	10002-03485			
M22x1,5 M	700	080	10002-03791			



Double barrel lance, without nozzles

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	OUT	mm	CODE	36156-00005	36156-00003	36156-00004
M22x1,5 M	2x1/4 NPT F	700	10002-03559			



Detergent nozzle for double barrel lance

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	Ø		CODE	36156-00005	36156-00003	36156-00004
1/4" NPT M	60	50	00080-01247			



Bent lance with adjustable jet

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	mm	Ø	CODE	36156-00005	36156-00003	36156-00004
M22x1,5 M	700	045	10002-03530			
M22x1,5 M	700	050	10002-03532			
M22x1,5 M	700	070	10002-03685			



Rotating brush (max 60°C)

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	bar	l/min	CODE	36156-00005	36156-00003	36156-00004
M22x1,5 M	20	20	00080-00925			



Suction strainer kit, with rubber hose m 2

TECHNICAL FEATURES				COMPATIBLE MODELS		
Ø	mesh	°C	CODE	36156-00005	36156-00003	36156-00004
25	10	60	10002-00159			



Spiral suction hose kit

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	OUT	m	CODE	36156-00005	36156-00003	36156-00004
Ø 18	Ø 23	8	10002-02545			



Rubber delivery hose extension kit

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	OUT	m	CODE	36156-00005	36156-00003	36156-00004
M22x1,5 F - Ø14	M22x1,5 M - Ø14	10 - R1 5/16"	10002-03403			
M22x1,5 F - Ø14	M22x1,5 M - Ø14	10 - R2 5/16"	10002-03596			
M22x1,5 F - Ø14	M22x1,5 M - Ø14	10 - R2 3/8"	10002-03564			



Hose reel kit with rubber hose

TECHNICAL FEATURES				COMPATIBLE MODELS		
Hose type	m	OUT	CODE	36156-00005	36156-00003	36156-00004
-	Without hose	-	00080-01467			
R2-5/16"	15	G 3/8" F	00080-01466			
R2-3/8"	15	G 3/8" F	00080-01524			