

K ELITE TS

HOT WATER SEALS

TSR

SELF-PRIMING PUMPS



ZW-K

Comet self-priming pump with three integral ceramic pistons. Oil level indicator. Brass heads. Built-in regulation valve



FW2

Comet pump with three integral ceramic pistons and brass pump head. Banjo regulation valve



Hose reel mounted on the transport handle (optional)



LED indicating power mains on and maintenance alarm (steady lights), microleakage alarm and water failure (flashing lights)




BOX DIMENSION (cm)	80 x 60 x 65
QUANTITY FOR PALLET	6
PALLET DIMENSION (cm)	120 x 80 x 210
N. MACHINES CONTAINER 20'	66
N. MACHINES CONTAINER 40' (40' HQ)	138



Easy movement thanks to the 2 front large pneumatic wheel (Ø 318 mm) and the 2 rear jockey wheels

Practical retractable handles for helping to lift the machine



GENERAL FEATURES

- Extra heavy duty structure with stainless steel cover
- Easy maintenance of motorpump and electronic panel by simply removing of the cover
- 4-wheel chassis (2 large wheels + 2 jockey wheels with brake)
- Pump with two oil sight glasses, with level visible from the outside and brass pump head
- 4-pole motor (1400 rpm), well oversized and protected with paint
- Delayed Total Stop with double pressure switch
- Self-priming ZW and FW2 pumps with hot water seals and banjo professional unloader valve
- Practical retractable handles for helping to lift the machine
- LED indicating power mains on and maintenance alarm (steady lights), microleakage alarm and water failure (flashing lights)
- Brass inlet water filter with stainless steel cartridge
- On/off rotary switch
- Intensive professional use

TECHNICAL FEATURES

CODE	MODELS	PUMP	Ph		V		Hz		bar		MPa		bar		MPa		l/h		HP	kW		kW		kg	(L x W x H) cm		
36156-00006	K ELITE TS 6.15 15/170 T	ZW-K	3	400	50	170	17	30÷160	3÷16	390 ÷ 900	5,5	4,0	4,8	63	90 x 62 x 84												
36156-00001	K STEEL TS 8.16 16/200 T	FW2	3	400	50	200	20	30÷190	3÷19	350 ÷ 960	7,5	5,5	6,9	65	90 x 62 x 84												
36156-00002	K ELITE TS 8.21 21/160 T	FW2	3	400	50	160	16	30÷150	3÷15	560 ÷ 1260	7,5	5,5	6,9	65	90 x 62 x 84												

STANDARD EQUIPMENT



GH 275 spraying gun with extension + Swivel

TECHNICAL FEATURES					COMPATIBLE MODELS		
l/min	IN	OUT	bar	CODE	36156-00006	36156-00001	36156-00002
30	G 3/8" M	M22x1,5 F	310	00080-05278			



GH 301 gun with swivel

TECHNICAL FEATURES					COMPATIBLE MODELS		
l/min	IN	OUT	bar	CODE	36156-00006	36156-00001	36156-00002
45	G 3/8" M	M22x1,5 F	310	00080-01044			



Stainless steel bent lance, with nozzle holder

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	OUT	mm	CODE	36156-00006	36156-00001	36156-00002
M22x1,5 M	1/4" NPT F	500	00080-05315			



Fan shape nozzle

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	Ø	∠	CODE	36156-00006	36156-00001	36156-00002
1/4" NPT M	045	25	00080-01374			
1/4" NPT M	050	25	00080-01376			
1/4" NPT M	070	25	00080-01382			



Rubber delivery hose kit

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	OUT	m	CODE	36156-00006	36156-00001	36156-00002
M22x1,5 F - Ø14	G 3/8" F	10 - R1 1/4"	00014-00276			
M22x1,5 F - Ø14	G 3/8" F	10 - R1 5/16"	10002-03598			
M22x1,5 F - Ø14	G 3/8" F	10 - R2 3/8"	10002-03562			



Brass inlet water filter

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	OUT	mesh	CODE	36156-00006	36156-00001	36156-00002
G 1/2" F	G 1/2" F	50	00070-00203			

ACCESSORIES



3/4 garden hose quick couplers

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	OUT	bar	CODE	36156-00006	36156-00001	36156-00002
G 3/4" F	G 3/4" F	10	10001-04572			



Ejector kit

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	OUT	Ø	CODE	36156-00006	36156-00001	36156-00002
M22x1,5 F - Ø14	M22x1,5 M - Ø14	2,1	10002-04480			
M22x1,5 F - Ø14	M22x1,5 M - Ø14	2,3	10002-04494			



Lance with rotating nozzle

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	mm	Ø	CODE	36156-00006	36156-00001	36156-00002
M22x1,5 M	560	045	10002-03409			
M22x1,5 M	560	050	10002-03512			
M22x1,5 M	560	070	10002-03518			



Drain nozzle

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	m	l/min	CODE	36156-00006	36156-00001	36156-00002
M22x1,5 M	25	10 ÷ 15	00058-00632			
M22x1,5 M	25	16 ÷ 29	00058-00630			



Sand/Soda blasting lance kit

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	mm	Ø	CODE	36156-00006	36156-00001	36156-00002
M22x1,5 M	500	040	10002-03401			
M22x1,5 M	500	080	10002-03588			



Foam lance, with regulator

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	l/min	lt	CODE	36156-00006	36156-00001	36156-00002
M22x1,5 M	20	1	10002-03395			



Professional Sand/Soda blasting lance kit

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	mm	Ø	CODE	36156-00006	36156-00001	36156-00002
M22x1,5 M	700	040	10002-03781			
M22x1,5 M	700	055	10002-03485			
M22x1,5 M	700	080	10002-03791			



Double barrel lance, without nozzles

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	OUT	mm	CODE	36156-00006	36156-00001	36156-00002
M22x1,5 M	2x1/4 NPT F	700	10002-03559			



Detergent nozzle for double barrel lance

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	Ø		CODE	36156-00006	36156-00001	36156-00002
1/4" NPT M	60	50	00080-01247			



Bent lance with adjustable jet

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	mm	Ø	CODE	36156-00006	36156-00001	36156-00002
M22x1,5 M	700	045	10002-03530			
M22x1,5 M	700	050	10002-03532			
M22x1,5 M	700	070	10002-03685			



Rotating brush (max 60°C)

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	bar	l/min	CODE	36156-00006	36156-00001	36156-00002
M22x1,5 M	20	20	00080-00925			



Suction strainer kit, with rubber hose m 2

TECHNICAL FEATURES				COMPATIBLE MODELS		
Ø	mesh	°C	CODE	36156-00006	36156-00001	36156-00002
25	10	60	10002-00159			



Spiral suction hose kit

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	OUT	m	CODE	36156-00006	36156-00001	36156-00002
Ø 18	Ø 23	8	10002-02545			



Rubber delivery hose extension kit

TECHNICAL FEATURES				COMPATIBLE MODELS		
IN	OUT	m	CODE	36156-00006	36156-00001	36156-00002
M22x1,5 F - Ø14	M22x1,5 M - Ø14	10 - R1 5/16"	10002-03403			
M22x1,5 F - Ø14	M22x1,5 M - Ø14	10 - R2 5/16"	10002-03596			
M22x1,5 F - Ø14	M22x1,5 M - Ø14	10 - R2 3/8"	10002-03564			



Hose reel kit with rubber hose

TECHNICAL FEATURES				COMPATIBLE MODELS		
Hose type	m	OUT	CODE	36156-00006	36156-00001	36156-00002
-	Without hose	-	00080-01467			
R2-5/16"	15	G 3/8" F	00080-01466			
R2-3/8"	15	G 3/8" F	00080-01524			