



FDX PRO

4 WHEELS



FW2



RW


COMET pumps type RW and FW2 with 3 ceramic pistons and brass head



Hose reel mounted on the transport handle (optional)



Retractable handles



Engine decelerator



Easy movement thanks to large wheels



GENERAL FEATURES

- Honda GX series and Loncin G series engine
- Engine low oil shutdown safety
- Speed reducer (pump 1560 RPM)
- COMET RW and FW2 pump, 3 ceramic pistons, and brass head
- Retractable wheelbarrow handles
- Large water inlet filter for the pump
- Automatic slow-down system to reduce pump speed during the recycling phase (By-pass)
- 4-wheel chassis (2 large wheels + 2 jockey wheels with brake)
- Thermostatic valve (VST) for pump protection

TECHNICAL FEATURES

CODE	MODELS	PUMP									
			bar	MPa	bar	MPa	l/h	HP	kW	kg	(L x W x H) cm
36022-00038	FDX PRO 13.15 - Honda GX390	RW	300	30	50÷280	5÷28	900	13,0	9,6	82	116 x 62 x 71
36022-00026	FDX PRO 13.16 - Honda GX390	RW	260	26	30÷245	3÷24,5	960	13,0	9,6	82	116 x 62 x 71
36022-00034	FDX PRO 13.18 - Honda GX390	RW	220	22	30÷210	3÷21	1080	13,0	9,6	82	116 x 62 x 71
36022-00035	FDX PRO 13.21 - Honda GX390	RW	200	20	30÷190	3÷19	1260	13,0	9,6	82	116 x 62 x 71
36022-00036	FDX PRO 11.16 - Honda GX340	FW2	200	20	30÷190	3÷19	960	11,0	8,2	82	116 x 62 x 71
36022-00039	FDX PRO 13.15 - Loncin G390 F	RW	280	28	30÷270	3÷27	900	13,0	9,6	82	116 x 62 x 71

STANDARD EQUIPMENT



GH 401 gun with Swivel (n.2 o-ring)

TECHNICAL FEATURES					COMPATIBLE MODELS					
l/min	IN	OUT	bar	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
40	G 3/8" M	M22x1,5F long	400	00080-01104						



Double barrel lance, without nozzles

TECHNICAL FEATURES				COMPATIBLE MODELS					
IN	OUT	mm	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
M22x1,5 M	2x1/4 NPT F	700	10002-03559						



Fan shape nozzle

TECHNICAL FEATURES				COMPATIBLE MODELS					
IN	Ø		CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
1/4" NPT M	035	25	00080-01372						
1/4" NPT M	040	25	00080-01373						
1/4" NPT M	043	15	00080-01388						
1/4" NPT M	050	25	00080-01376						
1/4" NPT M	052	25	00080-01405						
1/4" NPT M	052	25	00080-01382						



Detergent nozzle for double barrel lance

TECHNICAL FEATURES				COMPATIBLE MODELS					
IN	Ø		CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
1/4" NPT M	60	50	00080-01247						



Rubber delivery hose kit 10 m

TECHNICAL FEATURES				COMPATIBLE MODELS					
IN	OUT	m	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
M22x1,5 F - Ø14	G 3/8" F	10 - R2 5/16"	10002-03404						
M22x1,5 F - Ø14	G 3/8" F	10 - R2 3/8"	10002-03562						



Brass inlet water filter

TECHNICAL FEATURES				COMPATIBLE MODELS					
IN	OUT	mesh	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
G 3/4" F	G 3/4" F	50	00070-00124						

STANDARD EQUIPMENT



RPM deceleration kit

TECHNICAL FEATURES				COMPATIBLE MODELS					
IN	STROKE	bar	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
G 3/8" M	7 - 14mm	400	00069-00222						



Thermostatic valve

TECHNICAL FEATURES				COMPATIBLE MODELS					
IN	°C	Ø	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
G 1/2" M	56	7mm	10002-01156						

ACCESSORIES




GH 281 gun with pressure prelator + Swivel

TECHNICAL FEATURES					COMPATIBLE MODELS					
l/min	IN	OUT	bar	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
30	G 3/8" M	M22x1,5F	310	00080-01065						



GH 401 gun with swivel connection, angled lance (1100 mm) with low pressure adjustment, detergent head, without nozzle

TECHNICAL FEATURES					COMPATIBLE MODELS					
l/min	IN	OUT	bar	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
40	G 3/8" M	G 1/4" F	400	00080-01102						



GH 401 gun with swivel connection, angled rotating lance (1100 mm) with low pressure adjustment, detergent head, without nozzle

TECHNICAL FEATURES					COMPATIBLE MODELS					
l/min	IN	OUT	bar	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
40	G 3/8" M	G 1/4" F	400	00080-01012						



Bent lance, with rotating nozzle

TECHNICAL FEATURES				COMPATIBLE MODELS					
IN	mm	Ø	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
M22x1,5 M	560	035	10002-03801						
M22x1,5 M	560	040	10002-03708						
M22x1,5 M	560	050	10002-03512						
M22x1,5 M	560	045	10002-03409						
M22x1,5 M	560	055	10002-03514						
M22x1,5 M	560	070	10002-03518						



Bent lance with detergent head, without nozzle

TECHNICAL FEATURES				COMPATIBLE MODELS					
IN	OUT	mm	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
M22x1,5 M	1/4" NPT F	700	10002-03592						



Sand/Soda blasting lance kit

TECHNICAL FEATURES				COMPATIBLE MODELS					
IN	mm	Ø	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
M22x1,5 M	435 / 500	040	10002-03401						
M22x1,5 M	435 / 500	080	10002-03588						



Bent lance with adjustable jet

TECHNICAL FEATURES				COMPATIBLE MODELS					
IN	mm	Ø	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
M22x1,5 M	700	035	10002-03526						
M22x1,5 M	700	040	10002-03528						
M22x1,5 M	700	050	10002-03532						
M22x1,5 M	700	045	10002-03530						
M22x1,5 M	700	055	10002-03534						
M22x1,5 M	700	070	10002-03685						



Rotating brush, max 60°C

TECHNICAL FEATURES				COMPATIBLE MODELS					
IN	bar	l/min	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
M22x1,5 M	20	20	00080-00925						



Foam lance, with regulator

TECHNICAL FEATURES				COMPATIBLE MODELS					
IN	l/min	lt	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
M22x1,5 M	20	1	10002-03520						



Drain nozzle

TECHNICAL FEATURES				COMPATIBLE MODELS					
IN	m	l/min	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
M22x1,5 M	25	16 ÷ 29	00058-00630						



Rubber delivery hose extension kit

TECHNICAL FEATURES				COMPATIBLE MODELS					
IN	OUT	m	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
M22x1,5 M - Ø14	M22x1,5 F - Ø14	10 - R2 5/16"	10002-03596						
M22x1,5 M - Ø14	M22x1,5 F - Ø14	10 - R2 3/8"	10002-03564						



Suction kit: filter, connector, 2 m hose + strainer

TECHNICAL FEATURES				COMPATIBLE MODELS					
Ø	mesh	°C	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
25	10	60	10002-00159						



Hose reel with rubber hose

TECHNICAL FEATURES				COMPATIBLE MODELS					
Hose type / max	m	OUT	CODE	36022-00039	36022-00038	36022-00036	36022-00026	36022-00034	36022-00035
-	Without hose	-	00080-01467						
R2-5/16"	15	G 3/8" F	00080-01466						
R2-3/8"	15	G 3/8" F	00080-01524						